

ColdFusion MX 7.0.2

Complete Systems Support Matrix

Last Updated : August 2007

Windows		Standard	Enterprise	Developer
OS Versions	2000 Professional SP3 or higher			✓
	XP Professional			✓
	XP Home			✓
	2000 Server SP3 or higher	✓	✓	✓
	2000 Advanced Server	✓	✓	✓
	2000 Datacenter Server	✓	✓	✓
	2003 Web Edition, including SP1 and R2	✓	✓	✓
	2003 Standard Edition, including SP1 and R2	✓	✓	✓
	2003 Enterprise Edition, including SP1 and R2	✓	✓	✓
Web Servers	IIS 5, 6	✓	✓	✓
	Apache 1.3.27 or higher	✓	✓	✓
	Apache 2.0.43 or higher	✓	✓	✓
	JRun HTTP Server	✓	✓	✓
	iPlanet 6.x	✓	✓	✓
	Sun ONE 6.x	✓	✓	✓
Databases	MS Access 98, 2000, 2003 (MDAC 2.6 SP2 or higher)	✓	✓	✓
	MySQL 3.x and 4.0 *	✓	✓	✓
	MS SQL Server 7.0	✓	✓	✓
	MS SQL Server 2000 (including Service Packs 1, 2 and 3)	✓	✓	✓
	MS SQL Server 2003 (MS SQL 2000 functionality only)	✓	✓	✓
	DB2 UDB for Windows, UNIX, Linux, and Linux/s390 v7.1, v7.2, v8.1		✓	✓
	DB2 UDB for OS/390 v6.1		✓	✓
	DB2 UDB for z/OS and OS/390 v7.1, v7.2		✓	✓
	DB2 UDB for AS/400 V4R5, V5R1, V5R2		✓	✓
	Informix Dynamic Server 9.2x, 9.3x, 9.4x		✓	✓
	Oracle 8i R2-R3 8.1.7		✓	✓
	Oracle 9i R1-R2		✓	✓
	Oracle 10g (Oracle 9 functionality only, no RAC support)		✓	✓
	Sybase Adaptive Server 11.5 and higher		✓	✓
	Sybase Adaptive Server Enterprise 12.0 and 12.5		✓	✓

Windows (Continued)

		Standard	Enterprise	Developer
J2EE Application Servers	WebLogic 7, 8.1		Windows 2000 Server (SP 2 or higher), Windows 2000 Advanced Server (SP 2 or higher)	Windows 2000 Server (SP 2 or higher), Windows 2000 Advanced Server (SP 2 or higher)
	WebSphere 5.1, 5.1 ND		Windows 2000 Server (SP 2 or higher), Windows 2000 Advanced Server (SP 2 or higher)	Windows 2000 Server (SP 2 or higher), Windows 2000 Advanced Server (SP 2 or higher)
	Interstage 5 (Japanese only)		Windows 2000 Server (SP 2 or higher), Windows 2000 Advanced Server (SP 2 or higher) Windows 2003 Web, Standard, Enterprise editions (SP1,R2)	Windows 2000 Server (SP 2 or higher), Windows 2000 Advanced Server (SP 2 or higher) Windows 2003 Web, Standard, Enterprise editions (SP1,R2)
	Oracle Application Server 10g		Windows 2000 Server (SP 2 or higher), Windows 2000 Advanced Server (SP 2 or higher)	Windows 2000 Server (SP 2 or higher), Windows 2000 Advanced Server (SP 2 or higher)
	JRun 4		Windows 2000 Server (SP 2 or higher), Windows 2000 Advanced Server (SP 2 or higher) Windows 2003 Web, Standard, Enterprise editions (SP1,R2)	Windows 2000 Server (SP 2 or higher), Windows 2000 Advanced Server (SP 2 or higher) Windows 2003 Web, Standard, Enterprise editions (SP1,R2)
JDK	Sun JDK 1.4.2_05, 1.4.2_07, 1.4.2_09, and 1.4.2_11	✓	✓	✓

Linux		Standard	Enterprise	Developer
OS Versions	Red Hat Linux AS and ES 3.0, 4.0	✓	✓	✓
	SuSE Linux Enterprise Server 8, 9	✓	✓	✓
	TurboLinux 8 Server (Japanese Only)	✓	✓	✓
Web Servers	Apache 1.3.27 or higher	✓	✓	✓
	Apache 2.0.43 or higher	✓	✓	✓
	JRun HTTP Server	✓	✓	✓
	iPlanet 6.x	✓	✓	✓
	Sun ONE 6.x	✓	✓	✓
Databases	MySQL 3.x and 4.0 *	✓	✓	✓
	MS SQL Server 7.0	✓	✓	✓
	MS SQL Server 2000 (including Service Packs 1, 2 and 3)	✓	✓	✓
	MS SQL Server 2003 (MS SQL 2000 functionality only)	✓	✓	✓
	DB2 UDB for Windows, UNIX, Linux, and Linux/s390 v7.1, v7.2, v8.1		✓	✓
	DB2 UDB for OS/390 v6.1		✓	✓
	DB2 UDB for z/OS and OS/390 v7.1, v7.2		✓	✓
	DB2 UDB for AS/400 V4R5, V5R1, V5R2		✓	✓
	Informix Dynamic Server 9.2x, 9.3x, 9.4x		✓	✓
	Oracle 8i R2-R3 8.1.7		✓	✓
	Oracle 9i R1-R2		✓	✓
	Oracle 10g (Oracle 9 functionality only, no RAC support)		✓	✓
	Sybase Adaptive Server 11.5 and higher		✓	✓
	Sybase Adaptive Server Enterprise 12.0 and 12.5		✓	✓
J2EE Application Servers	WebLogic 7, 8.1		RedHat AS 3.0, RedHat AS 4.0, SuSE Enterprise Server 8, 9	RedHat AS 3.0, RedHat AS 4.0, SuSE Enterprise Server 8, 9
	WebSphere 5.1, 5.1 ND		RedHat AS 3.0, RedHat AS 4.0, SuSE Enterprise Server 8, 9	RedHat AS 3.0, RedHat AS 4.0, SuSE Enterprise Server 8, 9
	Interstage 5 (Japanese only)		RedHat AS 3.0, RedHat AS 4.0	RedHat AS 3.0, RedHat AS 4.1
	JRun 4		RedHat AS 3.0, RedHat AS 4.0, SuSE Enterprise Server 8, 9	RedHat AS 3.0, RedHat AS 4.0, SuSE Enterprise Server 8, 9
JDK	Sun JDK 1.4.2_05, 1.4.2_07, 1.4.2_09, and 1.4.2_11	✓	✓	✓

Solaris		Standard	Enterprise	Developer
Versions	Solaris 8, 9, 10		✓	✓
Web Servers	Apache 1.3.27 or higher		✓	✓
	Apache 2.0.43 or higher		✓	✓
	JRun HTTP Server		✓	✓
	iPlanet 6.x		✓	✓
	Sun ONE 6.x		✓	✓
Databases	MySQL 3.x and 4.0 *		✓	✓
	MS SQL Server 7.0		✓	✓
	MS SQL Server 2000 (including Service Packs 1, 2 and 3)		✓	✓
	MS SQL Server 2003 (MS SQL 2000 functionality only)		✓	✓
	DB2 UDB for Windows, UNIX, Linux, and Linux/s390 v7.1, v7.2, v8.1		✓	✓
	DB2 UDB for OS/390 v6.1		✓	✓
	DB2 UDB for z/OS and OS/390 v7.1, v7.2		✓	✓
	DB2 UDB for AS/400 V4R5, V5R1, V5R2		✓	✓
	Informix Dynamic Server 9.2x, 9.3x, 9.4x		✓	✓
	Oracle 8i R2-R3 8.1.7		✓	✓
	Oracle 9i R1-R2		✓	✓
	Oracle 10g (Oracle 9 functionality only, no RAC support)		✓	✓
	Sybase Adaptive Server 11.5 and higher		✓	✓
Sybase Adaptive Server Enterprise 12.0 and 12.5		✓	✓	
J2EE Application Servers	WebLogic 7, 8.1		Solaris 8, 9, 10	Solaris 8, 9, 10
	WebSphere 5.1, 5.1 ND		Solaris 8, 9, 10	Solaris 8, 9, 10
	Interstage 5 (Japanese only)		Solaris 8, 9, 10	Solaris 8, 9, 10
	JRun 4		Solaris 8, 9, 10	Solaris 8, 9, 10
JDK	Sun JDK 1.4.2_05, 1.4.2_07, 1.4.2_09, and 1.4.2_11		✓	✓

AIX (RS/6000)

(AIX support limited to J2EE WebSphere implementations only)

		Standard	Enterprise	Developer
Versions	AIX 5L, 5.1, 5.3		✓	✓
Web Servers	Apache 1.3.27 or higher		✓	✓
	Apache 2.0.43 or higher		✓	✓
	JRun HTTP Server		✓	✓
	iPlanet 6.x		✓	✓
	Sun ONE 6.x		✓	✓
Databases	MySQL 3.x and 4.0 *		✓	✓
	MS SQL Server 7.0		✓	✓
	MS SQL Server 2000 (including Service Packs 1, 2 and 3)		✓	✓
	MS SQL Server 2003 (MS SQL 2000 functionality only)		✓	✓
	DB2 UDB for Windows, UNIX, Linux, and Linux/s390 v7.1, v7.2, v8.1		✓	✓
	DB2 UDB for OS/390 v6.1		✓	✓
	DB2 UDB for z/OS and OS/390 v7.1, v7.2		✓	✓
	DB2 UDB for AS/400 V4R5, V5R1, V5R2		✓	✓
	Informix Dynamic Server 9.2x, 9.3x, 9.4x		✓	✓
	Oracle 8i R2-R3 8.1.7		✓	✓
	Oracle 9i R1-R2		✓	✓
	Oracle 10g (Oracle 9 functionality only, no RAC support)		✓	✓
	Sybase Adaptive Server 11.5 and higher		✓	✓
	Sybase Adaptive Server Enterprise 12.0 and 12.5		✓	✓
J2EE	WebSphere 5.1, 5.1 ND		✓	✓
JDK	Sun JDK 1.4.2_05, 1.4.2_07, 1.4.2_09, and 1.4.2_11		✓	✓

Macintosh		Standard	Enterprise	Developer
Versions	OS X 10.3.9 or 10.4.2	✓	✓	✓
Web Servers	Apache 1.3.27 or higher	✓	✓	✓
	Apache 2.0.43 or higher	✓	✓	✓
	JRun HTTP Server	✓	✓	✓
Databases	MySQL 3.x and 4.0 *	✓	✓	✓
	MS SQL Server 7.0	✓	✓	✓
	MS SQL Server 2000 (including Service Packs 1, 2 and 3)	✓	✓	✓
	MS SQL Server 2003 (MS SQL 2000 functionality only)	✓	✓	✓
	DB2 UDB for Windows, UNIX, Linux, and Linux/s390 v7.1, v7.2, v8.1		✓	✓
	DB2 UDB for OS/390 v6.1		✓	✓
	DB2 UDB for z/OS and OS/390 v7.1, v7.2		✓	✓
	DB2 UDB for AS/400 V4R5, V5R1, V5R2		✓	✓
	Informix Dynamic Server 9.2x, 9.3x, 9.4x		✓	✓
	Oracle 8i R2-R3 8.1.7		✓	✓
	Oracle 9i R1-R2		✓	✓
	Oracle 10g (Oracle 9 functionality only, no RAC support)		✓	✓
	Sybase Adaptive Server 11.5 and higher		✓	✓
Sybase Adaptive Server Enterprise 12.0 and 12.5		✓	✓	
J2EE	JRun 4 Updater 6		✓	✓
JDK	Sun JDK 1.4.2_07 on OS X 10.3, Sun JDK 1.4.2_09 on OS X 10.4	✓	✓	✓

* For more information on connecting to MySQL 4.1 or higher, please read this TechNote:
<http://www.adobe.com/cfusion/knowledgebase/index.cfm?id=6ef0253>